



## ENGINE CLEANER

# ADDINOL FLUSHING OIL SUPER

### PRODUCT DESCRIPTION

ADDINOL Flushing Oil Super is the perfect inside cleaner for engines based on mineral oil with special additives "Surftec 3 Plus".

### DELIVERY

Delivery preferable in 0.5 l cans.  
Content sufficient for approx. 5 l engine oil filling.

### APPLICATION

- For all types of gasoline and diesel engines with and without turbo charger

### HANDLING INSTRUCTION

- Fill the content of can (0.5 l) into warm engine before oil change
- Then operate engine for 10 min at idle speed and with varying rotation rate
- Stop engine, drain used oil with improved flowability immediately and change oil

### CHARACTERISTICS

- Excellent active flushing
- Outstanding cleaning capacity
- Power Conditioner

### ADVANTAGES AND BENEFITS

- Complete removal of used oil and maximum cleanliness of the engine
- Dissolves sludge and deposits
- Improved performance after cleaning



# ADDINOL FLUSHING OIL SUPER

## SPECIFICATIONS AND TYPICAL PARAMETERS

Feature	Test conditions / unit		Flushing Oil Super	Method acc. to
Appearance			clear, free from contaminations	visual
Density	at 15°C	kg/m <sup>3</sup>	860	DIN 51757
Viscosity	at 40°C	mm <sup>2</sup> /s	8.9	ASTM D 7042
Flash point	PM	°C	min. 130	DIN EN ISO 22719
TBN		mg KOH / g	2.4	DIN ISO 3771

### ADDINOL - The Experts for High-Performance Lubricants

We at ADDINOL develop and produce more than 600 high-performance lubricants of the new generation. Among these are automotive lubricants for highest demands and pioneering developments for industrial applications. Our customers all over the world benefit from the high and stable quality of our ADDINOL high-performance lubricants, our know-how and the individual customer advisory service of our competent experts. Our company has world wide activities. ADDINOL high-performance lubricants are distributed by more than 90 international partners.

The data given in this product sheet represent our current level of knowledge and experience. Due to the various specific application they do, however, not discharge the user from his own examination. The information provided herein may not be used to derive a legally binding warranty of specific properties or the suitability for a certain purpose of application. Detailed security-concerning and toxicological data as well as security instructions for each product can be taken from the corresponding Material Safety Data Sheets (MSDS). High-performance lubricants from ADDINOL are under continuous development. Therefore, ADDINOL Lube Oil GmbH keeps the right to change technical data in this product data sheet without notification. In case of doubt, please do not hesitate to contact our customers' advisory service.